

ORDINANCE NO. 06-86

ORDINANCE RELATING TO ZONING AND
OTHER LAND DEVELOPMENT REGULATIONS;
PROVIDING FOR THE OJUS URBAN AREA
DISTRICT; CREATING SECTIONS 33-284.99.14
THROUGH 33-284.99.21 OF THE CODE OF MIAMI-
DADE COUNTY (CODE); PROVIDING
SEVERABILITY, INCLUSION IN THE CODE AND
AN EFFECTIVE DATE

**BE IT ORDAINED BY THE BOARD OF COUNTY
COMMISSIONERS OF MIAMI-DADE COUNTY, FLORIDA:**

Section 1. Section 33-284.99.14 of the Code of Miami-Dade County, Florida is
hereby created as follows:¹

>>ARTICLE XXXIII (O)

OJUS URBAN AREA DISTRICT

¹ Words stricken through and/or [[double bracketed]] shall be deleted. Words underscored and/or >>double arrowed<< constitute the amendment proposed. Remaining provisions are now in effect and remain unchanged.

Sec. 33-284.99.14 Purpose, intent and applicability.

- A. The regulations contained in this chapter and Chapter 18A, Landscape Code, Code of Miami-Dade County, Florida, shall apply to this article, except as otherwise added to or modified herein.
- B. The Illustrative Master Plan (Figure 1), illustrates the citizens' vision and may be used to interpret this article. Where the Illustrative Master Plan conflicts with the text of this article, the text shall govern.
- C. The regulations contained in this chapter address portions of the Ojus/Aventura Metropolitan Urban Center and its surrounding area. Specifically it addresses an area with the boundaries shown in the Boundary Plan, hereafter the Ojus Urban Area District (OUAD) and generally described as follows: from the crossing of the Oleta River with the west side of the Florida East Coast (FEC) railroad easement, then north along the west side of the FEC railroad easement to the south side of NE 203 Street, then west along the south side of NE 203 Street to the west side of NE 26 Avenue, then north along the west side of NE 26 Avenue to the south side of theoretical NE 206 Street then west along the south side of theoretical NE 206 Street to the eastern boundary of the Highland Oaks Park, then north and west along the boundary of Highland Oaks Park to the east side of NE 23 Avenue, then south on the east side of NE 23 Avenue to the north side of NE 207 Street, then east along the north side of NE 207 Street to the east side of NE 24 Avenue, then south along the east side of NE 24 Avenue to the south side on NE 203 Street, then east along the south side of NE 203 Street to the Oleta River, then south along the Oleta River to the point of beginning.

A more detailed legal description of the boundaries follows:


Beginning at the intersection of the East Right-of-Way line of the Oleta River with the West Right-of-Way line of the Florida East Coast railroad, thence North along the aforementioned West Right-of-Way line of the Florida East Coast railroad to the intersection with the centerline of NE 203 Street, thence West along the aforementioned centerline of NE 203 Street to the intersection with the centerline of NE 26 Avenue, thence North along the aforementioned centerline of NE 26 Avenue to the intersection with the theoretical extension of the North Property line of Tract "A" of BETH TORAH ADATH YESHURUN as recorded in Plat Book 147, Page 50 of the Miami-Dade County Public Records, thence

West along the aforementioned North Property line of Tract “A” to the intersection with the East Right-of-Way line of the Oleta River, thence North along the aforementioned East Right-of-Way line of the Oleta River to the intersection with the East Property line of Highland Oaks Park, thence North along the aforementioned East Property line of Highland Oaks Park to the intersection with the North Property line of Highland Oaks Park, thence West along the aforementioned North Property line of Highland Oaks Park to the theoretical intersection with the centerline of NE 23 Avenue, thence South along the aforementioned centerline of NE 23 Avenue to the intersection with the Northern boundary of Highland Oaks Elementary School, thence East along the aforementioned Northern boundary of Highland Oaks Elementary School for a distance of 546 feet (+/-) to a point, thence Southeast along the Northeast boundary of Highland Oaks Elementary School for a distance of 125 feet (+/-) to a point, thence East to the intersection with the centerline of NE 24 Avenue, thence South along the aforementioned centerline of NE 24 Avenue to the intersection with the centerline of NE 203 Street, thence East along the aforementioned centerline of NE 203 Street to the intersection with the East Right-of-Way line of the Oleta River, thence South along the aforementioned East Right-of-Way line of the Oleta River to the Point of Beginning.

- D. Full scale maps of the Illustrative Master Plan presented in Figure 1, as well as all the Regulating Plans and Street Development Parameters figures in this article, are on file with the Miami-Dade Department of Planning and Zoning.

- E. No provision in this article shall be applicable to any property lying outside the boundaries of the OUAD as described herein. No property lying within the boundaries of the OUAD shall be entitled to the uses or subject to the regulations provided in this article until an application for a district boundary change to OUAD has been heard and approved in accordance with the provisions of this chapter.

Figure 1: Illustrative Master Plan



Section 2. Section 33-284.99.15 of the Code of Miami-Dade County, Florida is hereby created as follows:

>>Sec. 33-284.99.15 Ojus Urban Area District (OUAD) Requirements.

Except as provided herein, all developments within the OUAD shall comply with the requirements provided in Article XXXIII(K), Standard Urban Center District Regulations, of this code.<<

Section 3. Sec. 33-284.99.16 of the Code of Miami-Dade County, Florida, is hereby created as follows:

>>Sec. 33-284.99.16 Definitions.

In addition to the definitions in Sec. 33-284.82 of this code, the following term shall be defined as follows:

Loft: a single-family unit with a mezzanine area that shall not exceed 80 percent of the floor area below. In the Core and Center Sub-districts, the height of a loft shall count as one story. In the Edge Sub-district, the additional height provided by the inclusion of a loft shall count as an additional story. <<

Section 4. Sec. 33-284.99.17 of the Code of Miami-Dade County, Florida, is hereby created as follows:

>>Sec. 33-284.99.17 Uses.

Except as provided herein, all permitted, conditionally permitted, and temporary uses within the OUAD shall comply with Section 33-284.83 of this Code.

1. As provided in the Land Use Regulating Plan, no duplexes shall be permitted in areas designated:
 - a. Residential (R) with a maximum permitted density of 6 dwelling units per net acre; and
 - b. Residential Modified (RM) with maximum permitted densities greater or equal to 36 units per net acre.
2. No municipal recreation building, playground, or park owned and operated by a municipality, county, state, or the federal government shall be permitted in areas designated R on the Land Use Regulating Plan.
3. No civic uses shall be permitted in areas designated R on the Land Use Regulating Plan.
4. Industrial uses. Notwithstanding the provisions of Section 33-284.83 (A)(4), only the following uses shall be permitted in the Industrial District (ID) area. These uses shall be allowed in conformance with the Land Use Regulating Plan and the Street Type Development Parameters.
 - a. All uses permitted in the IU-1 zoning district
 - b. All uses permitted in the IU-2 zoning district after public hearing pursuant to section 33-311(A)(3) of this code.
 - c. MC uses at a maximum density of 52 units net acre or at a maximum density of 60 units per net acre with the purchase of the appropriate number of Severable Use Rights pursuant to Sections 33B-41 to 33B-47 of this code.
 - d. live-work units as provided in Sec. 33-284.83(A)(4)(b).
 - e. On lots fronting West Dixie Highway and south of NE 195 Street, all uses permitted in the Mixed Use Main Street (MM), at a minimum density of 12 units per net acre and at a maximum density of 52 units net acre, or a maximum density of 60 units per net acre with the purchase of the appropriate number of Severable Use Rights as permitted by Section 33B-41 to Section 33B-47 of this code
 - f. On lots fronting NE 26th Avenue, all uses permitted in the Residential Modified (RM), at a minimum density of 12 units per net acre and a maximum density of 36 units net acre.

5. Institutional uses. The following additional uses shall be permitted in the Institutional (I) area in accordance with the Land Use Regulating Plan and the Street Types Development Parameters.
 - a. Civic uses in accordance with the Street Types Development Parameters.
 - b. On lots located west of NE 25th Avenue, all uses permitted in the Residential (R), with a minimum density of 6 units per net acre and a maximum density of 13 units per net acre.
 - c. On lots located east of NE 25th Avenue, all uses permitted in the Residential Modified (RM), with a minimum density of 12 units per net acre and a maximum density of 36 units per net acre.
6. Conditionally Permitted Uses. Notwithstanding the provisions of Section 33-284.83 (B), only the following conditional uses shall be permitted subject to the administrative approval of a site plan, pursuant to Section 33-284.88 of this code.
 1. Liquor package stores shall be permitted only in the Core Sub-district and only in compliance with all applicable regulations of this code.<<

Section 5. Section 33-284.99.18 of the Code of Miami-Dade County, Florida is hereby created as follows:

>>Sec. 33-284.99.18 The Regulating Plans.


The Regulating Plans shall consist of the following controlling plans, as defined and graphically depicted in this section.

- A. The Street Types Plan, which establishes a hierarchy of street types in existing and future locations. The five Street Types and the hierarchy of streets (from most important to least important in accommodating all types of activity) are U.S. 1, Main Street, Boulevard, Minor Street, and Service Road.
- B. The Sub-districts Plan, which delineates 3 Sub-districts: Core, Center and Edge. These Sub-districts shall regulate the allowable intensity of

development in accordance with the Comprehensive Development Master Plan and this article.

- C. The Land Use Plan, which delineates the areas where specified land uses and development of various types and intensities shall be permitted.
- D. The Building Heights Plan, which establishes the minimum and maximum allowable number of stories.
- E. The Designated Open Space Plan, which designates open spaces. The designated open spaces shall be controlled by anchor points.
- F. The New Streets Plan, which shows the location and the number of new streets needed to create the prescribed network of streets within the Ojus Urban Area. All new A streets shall be required in the same general location as shown on the New Streets Plan. All B streets shall be located as provided in Section 33-284.86(F) of this code.
- G. The Bike Route Plan, which depicts the designated bike routes, including the bike facility requirements if any, which shall be shown in all development plans.


A. Street Types Plan




STREET TYPES

KEY

- █ Main Street: West Dixie Highway
- █ Boulevard
- █ Minor Street
- █ Service Roads
Core/Center Sub-district (required)
- MUC Circle
- Ojua Urban Area Boundary

















C. Land Use Plan



Land Uses

KEY


-  **MM: Mixed-use Main Street:** 1st floor - businesses, professional offices, civic, education and government offices; 2nd floor and above - residential (Min. 12 units/acre net, Max. 52 units/acre net or Max. 60 units/acre net with the use of SUR*)
-  **MM: Mixed-use Main Street:** 1st floor - businesses, professional offices, civic, education and government offices; 2nd floor and above - residential (Min. 12 units/acre net, Max. 36 units/acre net)
-  **MC: Mixed-use Corridor:** residential, businesses, professional offices, civic, education and government offices (Max. 52 units/acre net or Max. 60 units/acre net with the use of SUR*)
-  **MC: Mixed-use Corridor:** residential, businesses, professional offices, civic, education and government offices (Max. 82 units/acre net or Max. 90 units/acre net with the use of SUR*)
-  **MC: Mixed-use Corridor:** residential, businesses, professional offices, civic, education and government offices (Max. 36 units/acre net)
-  **RM: Residential Modified:** Rowhouse, and apartments (Min. 12 units/acre net, Max. 52 units/acre net or Max. 60 units/acre net with the use of SUR*)
-  **RM: Residential Modified:** Rowhouse, and small apartments (Min. 12 units/acre net, Max. 36 units/acre net)
-  **RM: Residential Modified:** Duplex, rowhouse, and live-work (Min. 8 units/acre net, Max. 18 units/acre net)
-  **R: Residential:** Single family detached dwellings (Max. 6 units/acre net)
-  **R: Residential:** Single family detached, duplex and rowhouse dwellings (Min. 6 units/acre net, Max. 13 units/acre net)
-  **ID: Industrial District:** In all floors and all Sub-districts: IU1 uses are permitted and IU-2 uses after public hearing. In addition:
 1. MC (Max. 52 units/acre net or Max. 60 units/acre net with the use of SUR*)
 2. Live-work units
 3. South of NE 195 St: MM along West Dixie Highway only (Min. 12 units/acre net, Max. 52 units/acre net or Max. 60 units/acre net with the use of SUR*)
 4. RM along NE 26th Avenue only (Min. 12 units/acre net, Max. 36 units/acre net)
-  **I: Institutional:** Civic, education and government offices and residential as per Sec 33-284.99.16 A 5 of this Code.
-  **MUC Circle**
-  **Ojus Urban Area Boundary**



See Section 33-284.99.16 on this Code for specific permitted uses in each land use area.

* SUR: Severable Use Right as provided in Sections 33B-41 to 33B-47 of this code.

D. Building Heights Plan



E. Designated Open Space Plan



Designated Open Space


KEY

- Existing Parks
- Designated Open Space: G: Green; S: Square; P: Plaza
- Preservation Area
- Existing Water Bodies
- Street Vista
- Anchor Point
- MUC Circle
- Ojus Urban Area Boundary

No	Type	Area
1.	G	Existing
2.	G	N/A
3.	G	N/A
4.	P	9,600 sqft
5.	G	Existing
6.	G	8,960 sqft
7.	S	Existing
8.	G	10,580 sqft
9.	G	39,500 sqft
10.	G	9,000 sqft
11.	G	9,000 sqft
12.	G	28,000 sqft
13.	G	Existing
14.	G	19,250 sqft

The open space shall provide the general square footage shown in this Designated Open Space Plan.

F. New Streets Plan



New Streets

KEY

- New "A" Streets
- Existing "A" Streets
- New "B" Streets
- Existing "B" Streets
- Property Ownership Pattern
- MUC Circle
- Ojua Urban Area Boundary

Note: New street allocations are based on the Illustrative Plan and are approximate.



G. Bike Route Plan



Bike Routes

KEY

- Signage designating the above shown streets/ corridors as bike routes shall be provided where appropriate.
- Designated bike lanes shall be provided along West Dixie Highway.
- MUC Circle
- Ojus Urban Area Boundary

Section 6. Section 33-284.99.19 of the Code of Miami-Dade County, Florida is hereby created as follows:

>>Sec. 33-284.99.19 Building Placement and Street Type Development Parameters

- A. All new development and redevelopment within the OUAD shall comply with the Building Placement and Design Parameters as provided in Section 33-284.85 of this code.
- B. All new development and redevelopment within the OUAD shall comply with the Street Type Parameters as provided herein:

<u>Street type</u>	<u>Minimum Required Configuration</u>
<u>Main Street</u>	<u>As provided herein</u>
<u>Boulevard (NE 26th Avenue)</u>	<u>As provided herein</u>
<u>Boulevard</u>	<u>As provided in section 33-284.85</u>
<u>Minor Street</u>	<u>As provided herein or in section 33-284.85</u>
<u>Service Road</u>	<u>As provided in section 33-284.85</u>
<u>Pedestrian Passage</u>	<u>As provided in section 33-284.85</u>

- C. Unless otherwise provided by the Building Placement and Design Parameters in section 33-284.85 of this code, the following front and side street setbacks shall be required within the OUAD:

<u>Street type</u>	<u>Required Setback</u>					
	<u>Core</u>		<u>Center</u>		<u>Edge</u>	
	<u>Front</u>	<u>Side</u>	<u>Front</u>	<u>Side</u>	<u>Front</u>	<u>Side</u>
<u>Main Street</u>	<u>0' * or 12'</u>	<u>0'</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
<u>Boulevard (NE 26 Ave)</u>	<u>***</u>	<u>0'</u>	<u>***</u>	<u>0'</u>	<u>10' or 15'</u>	<u>**</u>
<u>Boulevard (Other)</u>	<u>0'</u>	<u>0' or 6'</u>	<u>0' or 10'</u>	<u>0' or 6'</u>	<u>10' or 15'</u>	<u>**</u>
<u>Minor Street</u>	<u>0' or 10'</u>	<u>0'</u>	<u>**</u>	<u>**</u>	<u>**</u>	<u>**</u>
<u>Service Road</u>	<u>**</u>	<u>**</u>	<u>**</u>	<u>**</u>	<u>**</u>	<u>**</u>
<u>Pedestrian Passage</u>	<u>**</u>	<u>**</u>	<u>**</u>	<u>**</u>	<u>**</u>	<u>**</u>


Note: * 12' colonnade required when setback is 0'


** as provided in Section 33-284.85 of this code

*** as provided in Section 33-284.99.19 of this code

MAIN STREET (WEST DIXIE HWY/NE 26th AVE)	
CORE	
STREET SECTION Key: s: sidewalk g: green c: curb and gutter ln: lane med: median p: parking bl: bike lane col: colonnade setb.: Setback PL: property line Min: Minimum Max: Maximum Req: Required Ded: Dedication --- Property Line	<p>PL</p> <p>PL</p> <p>Main Street West Dixie Hwy/NE 26th Avenue 66' ROW</p> <p>12' 4' 7' 2' 4' 11' 10' 11' 4' 2' 7' 4' 12' col/setb s p c bl ln med/ turn ln ln bl c p s col/setb</p> <p>without colonnade and with setback</p> <p>with colonnade</p>
LANDSCAPE/ OPEN SPACE	Parking lot buffers and street trees shall meet all requirements of this article and Chapter 18-A of this code, except street trees shall have a minimum diameter breast height of 4". Permanent irrigation shall be required. Street trees along the sidewalk only are optional and, if provided, shall be planted in 5'x5' tree grates.
PARKING	On-street parking shall count towards the minimum required parking.
OTHER ELEMENTS	A colonnade shall be required on both sides of West Dixie Highway when build-to line is 0' and shall occupy the full length of the building frontage. Perimeter walls, fences, hedges, entrances and pedestrian pass throughs shall be provided as specified in the General Requirements. On all Main Street intersections, the median shall have a mountable curb.

<div>BOULEVARD (NE 26TH AVENUE)</div> <div>CORE/CENTER</div>	
<div>STREET SECTION</div> <div> <div>Key:</div> <div>s: sidewalk</div> <div>g: green</div> <div>c: curb and gutter</div> <div>ln: lane</div> <div>med: median</div> <div>p: parking</div> <div>bl: bike lane</div> <div>col: colonnade</div> <div>setb.: Setback</div> <div>PL: property line</div> <div>Min: Minimum</div> <div>Max: Maximum</div> <div>Req: Required</div> <div>Ded: Dedication</div> <div> <div>Property Line</div> </div> </div>	
<div>LANDSCAPE/ OPEN SPACE</div>	<div>Parking lot buffers and street trees shall meet all requirements of this article and Chapter 18-A of this code, except street trees shall have a minimum diameter breast height of 4". Street trees shall be planted in a 5' continuous landscape strip. Permanent irrigation is required.</div>
<div>PARKING</div>	<div>On-street parking shall count towards the minimum required parking.</div>
<div>OTHER ELEMENTS</div>	<div>The front setback shall be hard surfaced and finished to match the adjoining sidewalk. A minimum of 5' clear width within the setback shall be kept unobstructed for pedestrians. Weather protection elements shall be provided on the building facade. Perimeter walls, fences, hedges, entrances and pedestrian pass throughs shall be provided as specified in the General Requirements.</div> <div>On all Boulevard intersections, the median shall have a mountable curb.</div>

BOULEVARD (NE 26TH AVENUE)	
EDGE	
STREET SECTION Key: s: sidewalk g: green c: curb and gutter ln: lane med: median p: parking bl: bike lane col: colonnade setb.: Setback PL: property line Min: Minimum Max: Maximum Req: Required Ded: Dedication - - - - - Property Line	 <p>PL PL</p> <p>Boulevard NE 26 Avenue 75' ROW</p> <p>6' 11'-6" 4' 11' 10' 11' 4' 11'-6" 6'</p> <p>s g bl ln median ln bl g s</p>
LANDSCAPE/ OPEN SPACE	Parking lot buffers and street trees shall meet all requirements of this article and Chapter 18-A of this code, except street trees shall have a minimum diameter breast height of 4". Street trees shall be planted in a 11'-6" continuous landscape strip.
PARKING	N/A
OTHER ELEMENTS	The front setback shall be landscaped. Perimeter walls, fences, hedges, entrances and pedestrian pass throughs shall be provided as specified in the General Requirements. On all Boulevard intersections, the median shall have a mountable curb.

MINOR STREET (No Sidewalk)	
EDGE	
STREET SECTION	 <p>Key:</p> <ul style="list-style-type: none"> s: sidewalk g: green c: curb and gutter ln: lane med: median p: parking bl: bike lane col: colonnade setb.: Setback PL: property line Min: Minimum Max: Maximum Req: Required Ded: Dedication <p>--- Property Line</p>
LANDSCAPE/ OPEN SPACE	Parking lot buffers and street trees shall meet all requirements of this article and Chapter 18-A of this code, except street trees shall have a minimum diameter breast height of 4". Street trees shall be planted in a 5' minimum continuous landscape strip.
PARKING	N/A
OTHER ELEMENTS	The front setback shall be landscaped. Perimeter walls, fences, hedges, entrances and pedestrian pass throughs shall be provided as specified in the General Requirements.

Section 7. Section 33-284.99.20 of the Code of Miami-Dade County, Florida is hereby created as follows:

>>Sec. 33-284.99.20 General Requirements.

In addition to the requirements in Section 33-284.86 of this code, and to retain the character of the development within the OUAD, all new development and redevelopment shall comply with the following:

A. Heights of Buildings.

1. Except where exempted as depicted on the Building Heights Plan, where a proposed development abuts an area designated Residential (R) on the Land Use Regulating Plan, the height of the proposed development along the abutting property line, for a minimum depth of 50 feet, shall be no greater than the maximum height allowed in the abutting area designated R. Examples of the required height transition are shown herein.



Example of building heights transition from mixed-use to single-family

Each story shall have a maximum height of 16 feet, as measured from floor to floor. Any height above 16 feet shall count as an additional story, except that a single story may have a maximum height of 30 feet, provided that no mezzanine area intended for commercial use exceeds 10 percent and no mezzanine area intended for residential use exceeds 80 percent of the floor area of that story.

B. Architectural Guidelines.

To retain the character of the development in the OUAD area and to recognize its architectural history, all new single-family development within the OUAD area shall conform with either the Florida Vernacular or the Mission style as shown in the figures below. Specifically and at a minimum, all new single-family homes within the area shall include each of the required elements, respective to the chosen architectural style, described herein:

<u>Architectural Style</u>	<u>Required elements</u>
<u>Florida Vernacular</u>	<ol style="list-style-type: none">1. <u>Side gabled roof with shingles and a slope of 6:12 or 12:12</u>2. <u>Operable, boarded shutters sized to the window opening</u>3. <u>Attached front porch</u>
<u>Mission</u>	<ol style="list-style-type: none">1. <u>Shaped Mission dormer or roof parapet</u>2. <u>Arched openings</u>3. <u>Overhanging eaves with exposed rafters.</u>


Additional defining elements are shown in the figures provided herein, and shall be optional.

FLORIDA VERNACULAR


DEFINING ELEMENTS




PORCH TYPES



SMALL PORCH
1 or 2 story front porch that covers a minimum of 50% of the front facade and encroaches the allowable depth into the building's front setback.




LARGE PORCH
1 or 2 story front porch that covers a minimum of 80% of the front facade and encroaches the allowable depth into the building's front setback.




CORNER LOT PORCH
1 or 2 story front porch that covers a minimum of 50% of the front facade and extends at least two column bays along the side street facade (at corner lots only). This porch also encroaches the allowable depth into the building's front and side setback.


WINDOWS



DOUBLE-HUNG
Single light per sash




GROUPED DOUBLE-HUNG
With divided sash




'4 over 4' DOUBLE-HUNG
With pedimented frame


DOORS



SOLID 5-PANELED
With fixed transom lights




SOLID 1-PANEL
With fixed glass and 4 lights




SIMPLIFIED FRAME
With fixed undivided glazing


RAILINGS AND BALUSTRADES



STRAIGHT SQUARE SPINDLES




TURNED SPINDLES




DECORATIVE WOODEN BALUSTRADE


COLUMNS, POSTS, AND PIERS




ROUNDED
SMOOTH
TUSCAN COLUMN




ROUNDED
FLUTTED
DORIC COLUMN




SQUARE WOODEN POST
WITH CHAMFER



SQUARE WOODEN POST
WITH COLLAR




TURNED WOODEN POST




COUPLED TURNED
WOODEN POSTS WITH
ORNAMENTAL BRACKETS

MISSION STYLE

DEFINING ELEMENTS




PRINCIPLE SUBTYPES



SYMMETRICAL


Balanced symmetrical facades. These are most commonly of simple square or rectangular plan with hipped roofs.




ASYMMETRICAL

Usually the facade asymmetry is superimposed on a simple square or rectangular plan.


WINDOWS




DOUBLE-HUNG
With divided sash



GROUPED DOUBLE-HUNG
With divided sash






SQUARE FIXED



QUATREFOIL

TYPICAL DORMERS AND PARAPETS



Section 8. Section 33-284.99.21 of the Code of Miami-Dade County, Florida is hereby created as follows:

>>Sec. 33-284.99.21 Conflicts with other Chapters and Regulations.

This article shall govern in the event of conflicts with other zoning, subdivision, or landscape regulations of this code, or with the Miami-Dade Department of Public Works Manual of Public Works.<<

Section 9. Sec. 33-284.99.22 of the Code of Miami-Dade County, Florida, is hereby created as follows:

>>Section 33-284.99.22 Non-conforming Structures, Uses, and Occupancies.

Nothing contained in this article shall be deemed or construed to prohibit a continuation of a legal nonconforming structure, use, or occupancy in the OUAD that either (1) was existing as of the date of the district boundary change on the property to OUAD or (2) on or before said date, had received final site plan approval through a public hearing pursuant to this chapter or through administrative site plan review or had a valid building permit. However, any structure, use, or occupancy in the OUAD that is discontinued for a period of at least six months, or is superseded by a lawful structure, use or occupancy permitted under this chapter, or that incurs damage to the roof or structure to an extent of 50 percent or more of its market value, shall be subject to Section 33-35(c) of this code. However, a lawfully existing single-family home use that is discontinued for a period of at least six months or that incurs damage to the roof or structure to an extent of 50 percent or more of its market value, shall not be subject to Section 33-35(c) of this code.<<

Section 10. If any section, subsection, sentence, clause or provision of this ordinance is held invalid, the remainder of this ordinance shall not be affected by such invalidity.

Section 11. It is the intention of this Board of County Commissioners, and is hereby ordained that the provisions of this ordinance shall become and made part of the Code of Miami-Dade County, Florida. The section of this ordinance may be renumbered or relettered to accomplish such intention, and the word “ordinance” may be changed to “section”, “article”, or other appropriate word.

Section 12. This ordinance shall become effective ten (10) days after the date of enactment unless vetoed by the Mayor, and if vetoed, shall become effective only upon an override by this Board.